

TECHNOLOGY



# bizhub® 458e

## MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER

Up to 45 ppm print/copy output to keep pace with rising demands	
Standard dual scanning up to 240 originals per minute	
High capacity 300-sheet document feeder	
Large 9" color display with quick tablet-like touchscreen interface	
3rd-party software integration with standard web browser	
Built-in Emperon® print system, universal printer drivers	
Simitri® HD polymerized toner for high-resolution imaging	
Standard 250 GB HDD for on-board document storage	
Meets ISO 15408 and IEEE 2600.1 Security standards*	
Standard web browser, 4 GB of memory	

Power-saving design with quick recovery from sleep mode 6,650-sheet maximum capacity, tab printing support, carbon-copy printing Advanced authentication, secure print release, remote firmware updates Multiple bypass tray and detachable paper feed trays improve paper handling Finishing options for 80-page booklet-making, up to 100-sheet stapling Options for 2/3-hole punch, tri-fold, z-fold, post-insertion and more  $\,$ Downloadable apps to help you work faster and smarter  $\underline{\hbox{Multiple i-Options to suit the needs of your workflow}}$ EPEAT Gold-certified, low power consumption to cut costs Mobile printing support (AirPrint, Google Cloud Print Classic, NFC)

# bizhub 458e

## MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER

The bizhub 458e is the perfect device for customers with high demand on printing and scanning but with focus on professional output quality. The numerous finishing options allow a lot of flexibility for in-house production, which is highly cost-effective and beneficial for entire departments and organizations.

## SYSTEM OVERVIEW

SISIEMOVERVIEW			
System memory	4 GB		
System hard disk	250 GB Standard		
Interface	10-BASE-T / 100-BASE-TX / 1,000-BASE-T Ethernet, USB 2.0		
Network protocols	TCP/IP (IPv4/IPv6), FTP, SMB v2, SMTP, WebDAV		
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP		
Document feeder	Up to 300 originals / 5.5" x 8.5" to 11" x 17" / 35-210 gsm		
Printable paper size	Scanning/Copying: up to 11" x 17"		
•	Printing: up to 11" x 17" full bleed on 12" x 18" paper		
	Custom paper sizes		
	Banner paper max.: 11.75" x 47.25"		
Printable paper	52-300 gsm		
weight			
Paper input capacity	Standard: 1,150 sheets / Max.: 6,650 sheets		
Tray 1	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm		
Tray 3 (optional)	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Tray 4 (optional)	2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 52-256 gsm		
Large capacity tray	2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm		
LU-207 (optional)			
Large capacity tray	3,000 sheets / 8.5" x 11" / 52-256 gsm		
LU-302 (optional)			
Large capacity tray	2,500 sheets / 8.5" x 11" / 52-256 gsm		
PC-415 (optional)			
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes /		
	50–300 gsm		
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52-256 gsm		
Finishing modes	Offset, group, sort, staple, punch, half-fold, z-fold, tri-fold,		
2	post-insertion, booklet		
Output capacity	Max. with finisher: 3,200 sheets		
	Max. without finisher: 250 sheets		
Stapling (optional)	Max.: 100 sheets or 94 sheets + 2 cover sheets		
	(up to 209 gsm)		
Stapling output	Max.: 1,000 sheets		
capacity	11. 1. 2. 1		
Tri-fold (optional)	Up to 3 sheets		
Tri-fold capacity	Max.: 30 sheets (tray)		
Booklet (optional)	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)		
Booklet output	Max.: 100 sheets (tray)		
capacity			
Copy/print volume	Max.: 200,000 pages/month <sup>1</sup>		
Toner lifetime	26,000 pages		
Imaging unit lifetime	275,000 pages / 600,000 pages (Drum/Developer)		
Power consumption	120 V / 60 Hz, less than 0.5 kW (system)		
System dimensions	24.2" x 27" x 38" (W x D x H)		
System weight	Approx. 211.64 lb		

#### PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi, 1,200 x 1,200 dpi	
PDL	PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS	
Operating systems	Windows (x32 / x64): Vista 7 / 8.1 / 10	
	Windows Server (x32 / x64): 2003 / 2008 / 2008 R2 <sup>3</sup> / 2012 <sup>3</sup>	
	Macintosh OS X 10.7 or later	
	Red Hat Enterprise Linux	
Printer fonts	80 PCL Latin, 137 PostScript 3	
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex,	
	"Easy Set" job programming, overlay, watermark, copy protection, carbon copy print	

# COPIER SPECIFICATIONS

Copying process	Electrostatic laser copy, tandem, indirect	
Toner system	Simitri HD Polymerized Toner	
Print speed	Up to 45 ppm (portrait)	
(8.5" x 11")		
Print speed	Up to 22 ppm (portrait)	
(11" x 17")		
Autoduplex speed	Up to 45 ppm (portrait)	
(8.5" x 11")		
1st copy out time	4.0 sec.	
Warm-up time	Approx. 25 sec. <sup>2</sup>	
Copy resolution	600 x 600 dpi	
Gradations	256 gradations	
Multi-copy	1-9,999	
Original format	Up to 11" x 17"	
Magnification	25-400% in 0.1% steps, auto zooming	
Copy functions	Electronic sorting, multi-job, adjustments (contrast,	
	sharpness, image density), proof copy, interrupt mode,	
	color mode, separate scan, sort/group, combination,	
	original selection, ID card copy, 2-in-1, 4-in-1	

#### SCANNER SPECIFICATIONS

Scan speed	B&W / Color: up to 240 ipm		
Scan resolution	Max.: 600 x 600 dpi		
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan		
File formats  JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), PDF, encrypted PDF and searchable PDF (op compact XPS, PPTX and searchable PPTX (o searchable DOCX/XLSX (optional)			
Scan destinations	2,100 (shared with fax), LDAP support		
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, realtime scan preview		

#### FAX SPECIFICATIONS

Fax	Super G3 (optional)		
Transmission	Analog, Internet Fax, Color i-Fax, IP-Fax		
Resolution	Max.: 600 x 600 dpi (ultra-fine)		
Compression	MH, MR, MMR, JBIG		
Modem	Up to 33.6 Kbps		
Destinations	2,100 (single + group)		
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to Email/FTP/SMB, up to 400 job programs		

#### USER BOX SPECIFICATIONS

Storable documents	Max.: 3,000 documents or 10,000 pages	
Type of user boxes	Public	
	Personal (with password or authentication)	
	Group (with authentication)	
Type of system boxes	Secure print, encrypted PDF, fax receipt,	
	fax polling, annotation	
User box functionality	Reprint, combination, download, sending	
	(email/FTP/SMB and fax), copy box-to-box	

## SYSTEM FEATURES

Security	ISO 15408 EAL4		
	IEEE 2600.14		
	IP filtering and port blocking		
	SSL2, SSL3 and TSL1.0 network communication		
	IPsec support		
	IEEE 802.1x support		
	FIPS 140-2		
	User authentication		
	Authentication log		
	Secure print		
	Hard disk overwrite (8 standard types)		
	Hard disk data encryption (AES 128)		
	Memory data auto deletion		
	Confidential fax receipt		
	Print user data encryption		
	Copy protection (Copy Guard, Password Copy) optional		
Accounting	Up to 1,000 user accounts		
	Active Directory support		
	(user name + password + email + SMB folder)		
	User function access definition		
	Optional Biometric authentication (finger vein scanner)		
	Optional ID card authentication (ID card reader)		
Software	PageScope Net Care Device Manager		
	PageScope Data Administrator		
	PageScope Box Operator		
	PageScope Direct Print		
	Print Status Notifier		
	Driver Packaging Utility		
	Log Management Utility		

<sup>&</sup>lt;sup>1</sup> Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly tasis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minotla MFP and printer product line so that the appropriate device can be placed in order to meet customer needs.

<sup>2</sup> Warm-up time may vary depending on the operating environment and usage.



## COMPONENTS AND OPTIONS

COMPONENTS AND OPTION	ONS
AU-102 Biometric	Finger vein scanner
authentication  Dynamag magnetic	Requires WT-506 Working Table
stripe card reader	requires 111 500 fferring fabre
AU-205H Universal	Various ID card technologies
ID card reader*	
AU-211 CA/PIV solution	Requires WT-506 Working Table
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit DK-510 Copier desk	USB keyboard connection, Bluetooth  Provides storage space for print media and other materials
FK-514 Fax board	Super G3 fax, digital fax functionality
FK-515 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support
	(requires MK-742)
FS-533 Staple finisher	50-sheet stapling, 500 sheets max. output
FS-536 Staple finisher	50-sheet stapling, 3,200 sheets max. output (requires RU-513)
FS-536SD Booklet	50-sheet staple finisher, 20-sheet booklet finisher,
finisher	2,200 sheets max. output (requires RU-513)
FS-537 Staple finisher	100-sheet stapling, 3,200 sheets max. output (requires RU-513)
FS-537SD Booklet finisher	100-sheet stapling, 20-sheet booklet finisher, 2,500 sheets max. output (requires RU-513)
HD-524 Hard disk	Hard disk mirroring, 250 GB
JS-506 Job separator	Separation for fax output, etc.
JS-602 Job separator	Separation for fax output, etc.
for FS-537	- 23
KH-102 Keyboard holder	To place USB keyboard
KP-101 10-Key pad	For use instead of touchscreen
LK-102 v3 PDF	PDF/A, PDF encryption, digital signature
enhancements	Dravida avaira avidanas functions
LK-104 v3 LK-105 v4	Provides voice guidance functions Searchable PDF
LK-106	Supports native barcode printing
LK-107	Supports native Unicode printing
LK-108	Supports native OCR A and B font printing
LK-110 v2	Generates various file formats incl. DOCX, XLSX and
	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality)
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LU-207 Large	2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gsm
capacity unit	
LU-302 Large	3,000 sheets / 8.5" x 11" / 52–256 gsm
capacity unit	Demonstration
MK-730 Mount kit MK-735 Mount kit	Banner paper guide Installation kit for ID card reader
MK-742 Mount kit	Installation kit for FK-515 fax board
OT-506 Output tray	Output tray use instead of finisher
PC-115 Universal	500 sheets / 5.5" x 8.5" to 11" x 17" / 52–256 gsm
tray(x1)	
PC-215 Universal	2 x 500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm
tray (x2)	
PC-415 Large	2,500 sheets / 8.5" x 11" / 52–256 gsm
PI-507 Post inserter	Cover insertion, post finishing
for FS-537	over insertion, post initialing
PK-519 Punch kit	2/3-hole punching, autoswitching
for FS-533	
PK-520 Punch kit	2/3-hole punching, autoswitching
for FS-536	2/2
PK-523 Punch kit	2/3-hole punching, autoswitching
for FS-537 RU-513 Relay unit	Required for the FS-537 / FS-537SD, FS-536 / FS-536SD
SC-508 Security kit	Copy Guard function (2x required)
SP-501 Stamp unit	Added fax stamp capability kit
UK-212 Wireless LAN	Wireless LAN to network connector
UK-501 Multi-feed	Detects multi-feeding in the document feeder
detection kit	151 
WT-506 Working table	Authentication device placement
ZU-609 Z-fold unit	Z-fold for 11" x 17" prints, 2/3-hole punching
for FS-537  *May not be available at time of laune	sh.
way not be available at time of laund	dla

<sup>\*</sup>May not be available at time of launch.

<sup>&</sup>lt;sup>3</sup> Supports x64 only. <sup>4</sup> Certification pending.



#### **PARTNERSHIP**

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT	IT SERVICES	TECHNOLOGY
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	3D Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	Laptops, Desktops and
Mobility	<b>Business Consulting Services</b>	Computer Hardware
eDiscovery Services		Servers and Networking Equipment
		Managed Print Services (MPS)
		Managed Enterprise Services





For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com

© 2017 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo and bizhub are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com





