

5100WD/7140WD Wide Format

PRODUCTIVE > COLOR > FAST > **HIGH-VOLUME > RELIABLE >**

A high-volume, high-speed system with built-in color scanning.



High volume, color scanning, fast output. Everything you need for maximum productivity.

SAVIN® 5100WD and 7140WD Wide Format Digital Imaging Systems allow for fast printing even as you capture, share and save all of your day-to-day hard-copy document processes—color markups, edits, penciled-in changes and as-builts—into your ever-changing project workflow. The Savin 5100WD and 7140WD Wide Format Digital Imaging Systems are truly high productivity tools that can help you work smarter, collaborate easier, share faster and finish your projects on-time and on-budget.



The large, LCD touch-panel display makes operation simple and intuitive.

Built-In Productivity

Add up the fast output speed, user simplicity and smart engineering of the Savin 5100WD and 7140WD Wide Format Digital Imaging Systems, and you get systems that will be the workhorse in your reprographic area for years to come.

- Jump-start your workflow productivity with output speeds up to 10 or 14 documents per minute.
- Share the productivity from day one, thanks to the redesigned, super-wide color LCD operation panel.

- Reduce paper and toner usage by previewing document thumbnails before printing or scanning.
- Simplify and enlarge displays with the touch of a button for easier walkup use.
- Change paper and toner in a snap—clear jams, too—through the easy-to-use front-loading drawers and clamshell engineering.

www.savin.com

Streamline Your Workflow

Whether you use the Savin 5100WD and 7140WD Wide Format Digital Imaging Systems with a dedicated professional operator, have walkup users or work from a remote PC, you can configure exactly the system you need to optimize your unique workflow.

- Eliminate tedious document updating by capturing as-builts, handwritten, on-site changes and color markups, and then integrating them with satellite imagery, photographs and maps to create complete bid sets.
- Create and distribute documents with a comprehensive selection of Scan-to options.
- Scan project documents directly into an electronic plan room for easy viewing by other architects, engineers or contractors.
- Simplify document access by temporarily storing documents on the 320 GB (160 x 2) "Document Server" and view them on the control panel or your PC for reprinting, as needed.
- Increase your ability to handle high-output volume with optional front and back multi-stackers.

Manage Your System Remotely

- Use WebImageMonitor to view documents in the Document Server, monitor supply levels, check job details, assign e-mail notification to key team members, remotely cancel jobs and reboot the system from anywhere on the network.
- Use the Document Server to assemble job sets—remotely or at the system itself from prints, copies and scans.
- Manage advanced security features, including Windows Authentication and PDF Encryption, to keep your documents safe at every stage of printing and distribution.

Printer Controller Choices: Simple, Versatile, Secure

A fast, powerful external print controller supports a variety of file formats in the CAD market. While the single footprint, embedded printer option easily handles the most common file formats and maximizes floor space.

Built-In Printing

- Driver support for Windows—PostScript,
 HDI and a Web Print Tool to build job sets
 from HP-GL, TIFF and CALS file formats.
- The built-in security features included with the RPCS drivers provide piece of mind— Lock print, Hold print and Stored print.


RW-7140 Printer Controller on External PC: Advanced, Flexible, Fast

- Send print jobs securely with a host of built-in security options.
- Minimize the learning curve with drivers similar to standard print drivers.
- Print documents to any device on your network, including inkjet printers.
- Monitor, calculate and analyze your printing and scanning costs by user, account and project.
- Enjoy secure, Web-enabled print job creation right out of the box.
- Ensure consistent high quality output on every printing device with Central Management and Central RIP.
- Manage print jobs efficiently with the PlotBase Print Queue.

Scanning: Built-In or External


Changes and additions or "redlines" are a fact of life for architects, engineers and contractors. The Savin 5100WD and 7140WD Wide Format Digital Imaging Systems let you capture and distribute these changes—in color—through a built-in color scanner and the standard Scan-to functions.

WebImageMonitor



WebImageMonitor allows you to view documents in the Document Server, monitor supply levels, check job details, assign e-mail notification to key team members, remotely cancel jobs, and much more—right from your desktop.

Plotbase



New Plotbase software improves functionality over previous versions, including color calibration, account tracking and printing to multiple output devices including inkjet printers.

5100WD/7140WD Wide Format Digital Imaging System

PRODUCTIVE > RELIABLE > FAST > HIGH-VOLUME > COLOR >

Embedded Controller

Client PC Drivers (Windows OS)

HDI (print directly from AutoCAD) RPCS (Windows based) Postscript (PDF and PostScript files) Web Print Tool (CALS, HP-GL 1/2, TIFFs) (Browser based)



Client PC Drivers (Mac OS)

HDI (print directly from AutoCAD) RPCS (Mac based) Postscript (PDF and PostScript files) Web Print Tool (CALS, HP-GL 1/2, TIFFs) (Browser based)

Built-In Color Scanner

- Minimize system footprint with the embedded color scanner.
- Scan documents of extensive sizes and types, including architectural drawings, sepias, blueprints, detailed maps, folded or wrinkled documents, oversized drawings, photos or posters with unrivaled speed and image quality.
- Scan your documents directly to e-mail, SMB, Folder, FTP, URL, NCP and Document Server.

Scanning with the Optional RW-7140 Controller

- Capture crystal clear B&W 600 DPI scans or enhance your color output from an inkjet printer with closed-loop calibration, improving your scanning and printing workflow.
- Speed up the capture of changes and additions by scanning your marked-up drawings in color, and then editing and merging to overlay on other files.
- Ensure easy retrieval of stored documents by scanning documents directly to archive while immediately capturing key metadata, such as project name, account number, customer name, page number, title block, etc.
- · Scan single or multi-page documents directly to e-mail, FTP or NCP.
- Use the color editor to reduce noise, change alignment, optimize the histogram, improve black & white point type, and crop or scale images—and then print to the Savin 5100WD, 7140WD or an inkjet.

Built to Last

The Savin 5100WD and 7140WD Wide Format Digital Imaging Systems are tough and durable Savin products, designed to be a long-term investment for your organization—even in the most demanding environments.


- Count on the Savin 5100WD and 7140WD's durable materials and reliable engine design to handle monthly volumes comparable to much higher priced products.
- Maximize your Total Cost of Ownership (TCO) by investing in a system with an exceptionally long life expectancy.


The Total Green Office Solution

Savin continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.











5100WD/7140WD SPECIFICATIONS

FAST > **RELIABLE > HIGH-VOLUME >** PRODUCTIVE > COLOR >

SPECIFICATIONS

Configuration Console

Electro-photographic printing 2 roll paper feeder (standard) 2 roll paper feeder (optional)* 2 drawer paper cassette trays (optional)* Copy/Printing Process Paper Source

Cannot be installed simultaneously

Less than 120 Seconds Warm-Up Time 10 seconds (D-size) First Copy Copying Speed 7140WD: 14 ppm (D-size); 5100WD: 10 ppm (D-size)

Resolution 600 dpi x 600 dpi Grayscale Scanning 256 levels Grayscale Printing 2 levels

Reduction/Enlargement 18 presets; 25% to 400% by 0.1%

increments Multiple Copies 1 to 99 (ten key input)

Cutting Method Synchronized, preset cut, variable cut

1,024 MB (Copy/Printer); Memory Capacity 2,048 MB (required with scanner option)

Standard Hard Drive 320 GB (160 x 2)

PC Interface Standard connection to external PC for RW-7140 controller

Original/Copy Size Maximum: 7140WD: 36" x 1180"

(98.4 ft.);

5100WD: 36" x 590" (49.2'); Minimum: 8.5" x 8.5"; 36" x 78" bypass Rear (upper), Original rear exit (straight

Original Exits through), Original upper exit

Copy Exits Front: 99 Sheets (Plain Paper D-size LEF) Back: 10 Sheets (Plain Paper D-size LEF) **Power Source** 208 - 240V 15A 60Hz (NEMA 6 - 20R)

Max Power 3kW per hour

Consumption

Dimensions (WxDxH) 49.2" x 29.7" x 47.2" 507 lbs.

COPIER FEATURES • 2 Drawer Cut Sheet Paper Tray (option)

Auto Paper Selection (APS)

 Auto Reduce/Enlargement, User Auto Reduce/Enlargement, Preset Reduce/Enlargement, Zoom, Size Magnification, **Directional Magnification**

 Directional Size Magnification (percentage and mm/inch). Fine Magnification

Electronic Sort

• Image Overlay, Format Overlay, Negative/Positive, Mirroring, Double Copy, Repeat Copy, Combine Images

Job Interrupt

• Job Program (up to 10 jobs)

· Manage System and Security Settings, Document Server, Printer and Scanner Features

· Margin Adjustment

· Preset Stamps, User Preset Stamps, Date Stamp, Page Stamp

 Standard 320 GB Hard Disk Drive: Store Up to 3,000 **Documents**

• User Tools, Manage System and Security Settings, Document Server, Printer and Scanner Features

COPIER OPTIONS

Roll Feeder

Roll Holders

Paper Cassette Tray 2 drawer paper cassette; adjustable

up to 18" x 24". Holds up to 250 sheets x 2 (17 lbs. - 20 lbs.) 2 roll feeder option; holds an additional 2 rolls (4 rolls total) 2 holders, max roll diameter 3" core

Controller Board Embedded Print Speed

7140WD: 14 ppm D-size LEF,

PRINTER OPTION TYPE W7140 (Option)

7 ppm E-size SEF; 5100WD: 10 ppm D-size LEF, 5 ppm E-size SEF

Print Resolution Up to 600 dpi HDD

320 GB (160 x 2) (Shared with other applications such as Copy/Scanner)

Supported File HP-GL, HP-GL2, HP-RTL, TIFF, PostScript/PDF, CALS, MS Office File Formats

Formats, JPEGs HDI Driver: DWG

SCANNER OPTION TYPE W7140 (Option)

Controller Board Embedded

Scan Speed 7140WD and 5100WD:

1.75 ips - 13 ips @ 600 dpi Scan Resolution 150 dpi to 600 dpi;

Twain: up to 1200 dpi Scanner Features Scan-to-Email, Scan-to-Folder,

Network TWAIN, Scan-to-NCP, Scan-to-FTP. Scan-to-SMB. Scan-to-Document Server

Edit Erase Border, Positive/Negative,

Mirror Image

Full View: 18" x 24"; Preview Section Preview: 36" x 48"

Multi page TIFF, Single page TIFF, Multi page PDF, Single page PDF, File Formats

Single page JPEG

PRINTER CONTROLLER RW-7140 (Option)

External PC Server Controller Type

(PC not included, must be purchased separately from appropriate vendor) Print Controller 7140WD: 7 ppm E-size SEF,

14 ppm D-size LEF: 5100WD: 5 ppm E-size SEF,

10 ppm D-size LEF

Standard: HP-GL, HP-GL2, HP-RTL, TIFF Supported File **Formats** Calcomp906/907, WMF, BMP, CALS (1&2), T6X, CIT, PCX, RLC, Intergraph,

Windows Metafile, Windows OS/2

Bitmap, DWG, JPEG

Option: DWG/DXF/DWF (with installation of AutoCAD application), VIC, CGM,

Postscript

Windows: Windows 2000, XP (32 and Client PC OS Support 64 bit), Vista (32 and 64 bit)

Mac: From OS8.6-10.4 (client PC) Linux: Redhat Linux 6.x-7.1 HP-UX 10.x/11.x

Sun Solaris 2.6/7.x/8.x SCO OpenServer 5.0x

PC Requirements

Windows XP Professional 32-bit; Operating System Microsoft Vista 32-bit

Processor Recommended: Intel Celeron with

2GHz or higher PCI Interface Slot 2.0 or higher x 1

Recommended 2 GB

RAM Memory Hard Drive Network Interface

At least 100 GB free space 10/100 Base-T Ethernet, TCP/IP configuration At least 1,024 x 768 or higher/ Monitor

Recommended: 1,280 x 1024

Network Protocol TCP/IP, IPX/SPX, Ipr/Ipg, HTML, SMB or Novell 6.5 SP6 with Novell Client 4.91 (Server)

SP3. Unix

PRINT CONTROLLER FEATURES

- · Auto Paper Select
- Collate
- Color Editing Tools
- Combine Images
- Cut Mode
- Distributive Printing
- Limitless Paper Feed
- Locked Print
- · Output Tray Selection Output to One Inkjet
- · Paper Remaining Level
- Pen Settings Preview Print Print Queue Management
- Reduce/Enlarge
- Sample Print Setting Build Job Sets from Multiple File Formats
- · Simultaneous Printing and Scanning
- Stamping
- Title Block Setting

SCANNER RW-7140 (Option to the RW-7140 Print Controller)

Controller Type External PC Server Maximum Continuous 14 spm D-size LEF (200 dpi, 1 bit) 7 spm E-size SEF (200 dpi, 1 bit) Scan Speed

150 - 600 dpi Resolution

(1200 dpi with enhancement) Scan Size 7140WD: Min: 8.5" x 8.5"

Max. 36" x 98.4 ft; 5100WD: Min: 8.5" x 8.5" – Max. 36" x 49.2 ft

File Format Standard: TIFF (single/multi page, uncompressed/G3/G4), T6X, BMP,

RLC, HP-RTL, PCX, CALS 1&2, Option: PDF (single/multi page),

DWF, DWG SCANTOOL Software Scanner Software

SCANTOOL Color Editor

Rotation

· Scan Modes

Controller Type Same as printer controller spec. Resolution 150 - 600 dpi

(1200 dpi with enhancement)

• RGB (24 bit), Grey, B&W

SCANNER FEATURES

- Authentication Modes
- Closed-Loop Calibration
- Color Editing
- Contrast Setting Integrated Scan-to-Archive
- Continuous Input
- Invert
- Mirror/Positive/Negative Scan-to-FTP Multiple Scan Settings
- Scan-to-NCP
- Preview While Settings
- Scan-to-Email · Scan-to-Folder
- Scan-to-SMB
- Reading Area Setting

CONTROLLER OPTIONS

- CGM (Computer Graphics Metafile) DWG/DXF/DWF
- · Scan Option
- · Scan to DWF (w/scan option)
- PostScript 3



Bringing Savin Value to Your Organization
Savin technology offers a diverse portfolio of solutions to help your organization stay competitive and move ahead. Let Savin show you how to empower your business to improve critical processes, keep information secure, ensure compliance and promote environmental sustainability while reducing the total cost of ownership. Savin Five Dedrick Place, West Caldwell, NJ 07006
SAVIN® is a registered trademark of Ricoh Americas Corporation. All other
trademarks are the property of their respective owners. Print speed may be
affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features











