

Xerox® WorkCentre® 5735 / 5740 / 5745 / 5755 Multifunction Printer Raise your productivity, reduce costs, stay secure.



A better way to get work done.

Engineered to make your workgroup more productive. WorkCentre 5700 series multifunction printers provide the right tools for the work you do every day, plus advanced capabilities that help you work smarter, cost-effectively and more securely.

Office work optimized

Streamline your critical business processes and make your daily tasks faster and more efficient. From easy walk-up copying to powerful scan and fax capabilities — even full color scan to email — these multifunction printer works as hard as you do.

- Dramatically increase your workflow efficiency. Cutting-edge scanning functionality opens the door to better ways of getting work done. Scan to Email quickly distributes documents to multiple email addresses. Store files on the device, or in a personal directory. You can also scan documents to network folders, FTP sites and fax servers right from the device.
- Scan to Mailbox feature allows you to scan to a folder on the printer's hard drive to reprint on demand or retrieve via a web browser.
- Easy archiving, organizing and searching. With scan to searchable PDF or XPS files, you can create a fully text-searchable file and integrate it into your workflow process in one easy step.
- Automatic file distribution. The exclusive Xerox® SMARTsend® scan, capture and distribution software option lets you route documents to multiple destinations email, folders, document management systems or remote devices from a single scan, using a pre-set workflow. LDAP capability can even integrate your network address book.
- Quick access to frequently printed documents. The Capture/Print, Save & Reprint feature lets you store scanned documents on the device for exact reprint later, while also retaining the flexibility to change document parameters before reprinting.
- Extensive fax capabilities. Network Server Fax enablement, Internet Fax enablement (to avoid long distance charges) and Walkup Fax with LAN Fax. With fax forward to email feature, incoming faxes can be automatically routed to any valid email address, device folder or network folder to save paper and speed retrieval.





Xerox® **Workflow Solutions** take your WorkCentre 5700 series multifunction printer to a higher level of office optimization.

Your key to a simplified office.

Xerox® Workflow Solutions connect users to the tools they need to make their information workflows faster, more efficient and more effective. Control access to information. Reduce the costs of information workflow and your organization's environmental impact. Enable new ways of working that streamline and accelerate business cycles and give you a competitive advantage.

Xerox® Workflow Solutions give you measurably better ways of working with information no matter what industry, no matter how big or small your organization, and no matter where you operate.

Following are just a few examples of the many possible Xerox® Workflow Solutions.

Xerox[®] Scan to PC Desktop[®]

Developed by Nuance and Xerox®, Scan to PC Desktop software bridges the gap between Microsoft Office documents, PDFs and paper. It allows you to customize the scanning menus on your WorkCentre 5700 series multifunction printer directly from your desktop. This makes it easy to securely scan to specific folders on your desktop, turning a shared multifunction printer into your own personal multifunction printer.

Xerox[®] Secure Access Unified ID System[®]

Secure Access integrates with your existing employee ID badge solution, allowing users to simply swipe their badge at the WorkCentre 5700 series multifunction printer to unlock access to features. Usage data can then be made available to other solutions for tracking, accounting and regulatory purposes. Follow-You Print™, a feature of Secure Access, allows you to send a document to a secure print queue, walk up to any printer on the network equipped with Secure Access, swipe your ID card and access the document for printing.

ScanFlowStore®

ScanFlowStore software by Nuance® greatly reduces document processing time with its powerful Optical Character Recognition technology. Using template-based scanning, a user simply selects specific "zones" on a document from which data specific to industries such as healthcare, legal or financial, is captured and used for file naming, creating network folders, populating PDF properties, searching and retrieving, and routing scanned documents to their correct repositories.



Personalized solutions you access right from the touch screen interface.

Increase office efficiency. WorkCentre 5700 series multifunction printers have the power you need along with the work-saving features to help you get more done, in less time and with less effort.

The power you need for more productivity

WorkCentre 5700 series multifunction printers stay on task and deliver optimum results no matter how demanding the workload.

- The speed you need. With ultra-fast copying and printing — choose from 35 ppm up to 55 ppm — there's more than enough speed to meet the needs of any busy department or workgroup.
- Lab-tested performance. According to laboratory testing, the advanced Xerox® WorkCentre controller outperforms the competition when printing the documents business professionals work on every day.
- Multitasking mastery. Scan a job while another job prints. Send a fax while making copies. The powerful 1.2 GHz Freescale processor concurrently processes all jobs received, and performs multiple tasks simultaneously.
- Your print job, your priority. The Print Around feature eliminates extended printing delays by holding a job in need of resources (such as a different paper size) and printing the next job in the queue. If you need your work first, you can manage the job queue at the device by promoting or deleting jobs accordingly.
- Significantly smaller scan files. The latest scan-export compression technologies reduce traffic on the network and accelerate document delivery.

Easy operation

Office life's a lot less complicated thanks to innovative Xerox® features.

- New color touch screen interface. Provides the comfortable look and feel Xerox® is known for and features bright, intuitive icons and easy access to all major functions directly from the home screen.
- Less user intervention means less downtime. More efficient toner lasts longer and can be replaced guickly by any user.
- A help desk at your fingertips. Get a wealth of helpful information like tips for sending a scan via email right from the touch screen interface.
- A truly universal print driver. Xerox® Global Print Driver® (X-GPD) lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for endusers, reducing the number of support calls, and simplifying print services management.
- Advanced copy and print features. Plenty
 of support for specialized print applications,
 such as Annotation, Bates Stamping, ID Card
 Copy, tab print capability and page-level
 programming.



Get instant access to all functions with the easy-to-follow touch screen interface.

Conservation built-in

Get a powerful multifunction printer that is environmentally preferable.

- Power save with quick start-up conserves electricity during downtime while keeping the device ready for action.
- Full compliance with the EU
 Restriction of Hazardous Substances
 (RoHS) Directive* and the stringent
 2009 ENERGY STAR® standards.
- Automatic paper-saving print settings allow for reduced impact on the environment. Options include default two-sided printing, proof print, recycled paper and draft mode.
- Stay earth-friendly. Our innovative new EarthSmart feature automatically chooses the most environmentally sensitive options for your job.

^{*} All newly manufactured WorkCentre 5700 MFPs are fully RoHS compliant. There may be occasions when we will provide some equipment or spare parts which will not be fully RoHS compliant. This is necessary in order to minimize the detrimental environmental impacts that would occur if we prematurely dispose of those existing parts that fully comply with existing North American legal requirements. Fully RoHS compliant equipment and parts are available upon request for select customers.



Paper Input



Duplex Automatic Document Feeder automatically scans documents as fast as 80 spm.



100-sheet Bypass Tray handles heavy paper up to 80 lb. cover.



Two 500-sheet universal trays are adjustable up to 11 x 17 in.



Optional Envelope Kit (replaces Tray 2) provides trouble-free feeding of 50 envelopes.



High-Capacity Tandem Tray holds a total of 3,600 sheets of letter-size paper.



4,000-sheet letter-size High-Capacity Feeder (optional) can increase total capacity to 8,700 sheets. Or add the 2,000-sheet Short-Edge Kit in either letter/legal size or 11×17 in size.

Finishing Options



Multiple finishing options let you add the capabilities that are right for individual workgroups. Choose basic features like staple and hole punch, or advanced capabilities to produce paginated, saddle-stitched and folded booklets and Z and C-folded brochures.











WorkCentre[®] 5735 / 5740 / 5745 / 5755 Quick Facts

- Print and copy up to 35 / 40 / 45 / 55 ppm
- Powerful scan features, including scan to email
- Fax solutions available, including walkup and Internet fax
- Maximum paper capacity: 8,700 sheets
- Xerox® Extensible Interface Platform® (EIP)



Print / Copy / Scan / Fax / Email

11 x 17 in. / A3




ppn

WxDxH:

(configuration with OCT and DADF) $38 \times 26 \times 45$ in. $955 \times 650 \times 1140$ mm



Take control of your costs.



Xerox® **helps businesses work smarter, for less.** Get plenty of cost-saving features built-in, along with Xerox® expertise to help simplify ownership and improve your printing efficiency.

Boost your bottom line

Let our industry-leading technologies help you minimize time and money spent on device administration and upkeep.

- Control costs. Xerox® Standard Accounting monitors not only the pages your office produces, but also who produced them. Administrators can allocate user access and generate usage reports, providing the information you need to optimize device deployment and reduce costs.
- Color scanning one of many value-packed features. Scan your color documents as originally created and retain visually critical information. Then, use color scan to PDF to immediately distribute your color documents via email.

- Finish documents in-house. A host of advanced finishing options help you save on outsourcing costs by creating your finished documents right in the office.
- Reduce service calls with Smart Kit®
 components. Xerox® Smart Kit technology
 predicts and prevents downtime by letting
 you know ahead of time when easy-to-change
 components need replacement.
- **Use less paper.** Two-sided printing, junk fax rejection, and efficient scanning workflows help you print less paper, and save more money.
- Automated billing. Job Based Accounting ensures accurate billing of device output to the correct department using one of several third-party billing solutions.

• Streamline costs and simplify ownership.
The Smart eSolution suite of offerings
manages time-consuming maintenance chores
for you:


MeterAssistant® collects and submits usage meter reads automatically.

SuppliesAssistant® monitors consumables such as toner and ensures that you have the right amount on hand.

Maintenance Assistant offers a fast, free way to troubleshoot, report and resolve potential repair issues.

Security at every level.

How much would it cost your business if the security of critical, sensitive information became compromised? You can put your mind at ease. We have you covered with the industry's most advanced security technologies at all points of vulnerability.



Secure your information

WorkCentre 5700 series multifunction printers boast numerous security features and options that employ the latest advancements in data protection technologies, ensuring that sensitive information stays confidential.

- Full system Common Criteria (ISO 15408)
 Certified. This certification ensures that the entire device, not just individual components, conforms to the most stringent security standards and regulations.
- **Secure Print** prevents unauthorized viewers from seeing documents by holding jobs in the print queue until the user is authenticated.
- Xerox® Secure Access Unified ID System®
 uses card-based identification to authenticate
 authorized users when they insert an ID card.
- Follow-You Print™ lets you submit print jobs to a secure print queue and print them at the device of your choice, after ID authentication.
- Smart Card technology. WorkCentre 5700 series multifunction printers support the Smart Card technology used by the U.S. Department of Defense for its Common Access Card (CAC)* system, which protects against unauthorized access.

Secure administration

Access device information and control enterprise-wide systems with an exceptional range of reporting and management tools.

• Fast deployment and consistent uptime.
CentreWare® IS Embedded Web Server
automates installation, troubleshooting,
cloning and upgrading, providing virtually
effortless device management. Plus,
CentreWare® Web software manages an
entire enterprise-wide print environment —
regardless of manufacturer mix — and helps
ensure all devices run smoothly and reliably.

- Remote software upgrades. Easily update your devices with the latest software and security patches and customize functionality to meet your business needs.
- Third-party certification. The WorkCentre 5700 series multifunction printers have received certified approval for use with software solutions from such industry leaders as Citrix Systems and MEDITECH.
- Network authentication restricts access to scan, email and network fax features by validating user names and passwords before use. Audit Log capabilities let you know who sent what, when.

WorkCentre® 5735 / 5740 / 5745 / 5755



System Hemory 1 Gen (Includes 136 MB EPC and 640 MB ESS), expandable to 2 GB (Includes 1 GB EPC and 1 GB ESS)			WorkCentre 5735A / 5740A / 5745A / 5755A Printer / Copier / Color Scanner
Processor 1,2 GHz Freescale dedicated / 160 GB Hard Drive should Paper Imput Standard Sta	Speed		Up to 35 / 40 / 45 / 55 ppm
Paper Handling Paper input Standard Paper input Standard Paper input Standard Paper input Standard Paper Stray: 100 sheets; Custom sizes 4.25 x 5.5 to 11 x 17 in. / A6 to 4.2; 16-58 lb. bond / 60-216 gsm Troys 1-2; 500 sheets; Custom sizes 4.25 x 5.5 to 11 x 17 in. / A6 to 4.2; 16-58 lb. bond / 60-200 gsm Milp Capacity Tandem Troy; 3.600-sheet total (1.600 and 2.000 sheets), 5ize 8.5 x 11 in. / A4 to 8.3; 16-38 lb. bond / 60-200 gsm Milp Capacity Tandem Troy; 3.600-sheet total (1.600 and 2.000 sheets), 5ize 8.5 x 11 in. / A4 tong edge feed MFC Kits (MFC required); 2.000-sheet 11 x 17 in. Short Edge Rit or 2.000-sheet steed letter/legal Short Edge Rit Revolpe Tray; Up to 50 envelopes; #10 commercial, monarch, DL.CS. custom, lorge U.S., Postcord, A6 Parelope Tray; Up to 50 envelopes; #10 commercial, monarch, DL.CS. custom, lorge U.S., Postcord, A6 Office Finisher (coralloble with 5735 / 5740 / 5745 / 5755); 2.000 + 250-sheet trays, 30-sheet single-position stupling Diffee Finisher (coralloble with 5735 / 5740 / 5745 / 5755); 2.000 + 250-sheet trays, 30-sheet single-position stupling optional hole punch High Volume Finisher (WFV) (coralloble with 5740 / 5745 / 5755); 2.000 + 250-sheet trays, 30-sheet multiposition stupling optional hole punch High Volume Finisher with Booklet Moker; coads letter size 2: and C folding Post Process Inserter (with HVF with Booklet Moker) adds letter size 2: and C folding Post Process Inserter (with HVF with Booklet Moker) adds letter size 2: and C folding Post Process Inserter (with HVF with Booklet Moker) adds letter size 2: and C folding Post Process Inserter (with HVF with Booklet Moker) adds letter size 2: and C folding Post Process Inserter (with HVF with Booklet Moker) adds letter size 2: and C folding Post Process Inserter (with HVF with Booklet Moker) adds letter size 2: and C folding Post / 200 x 1200 dp P	System Memory		1 GB (includes 384 MB EPC and 640 MB ESS), expandable to 2 GB (includes 1 GB EPC and 1 GB ESS)
Poper input Standard Standard Suplex Automatic Document Hondier (DADH): 5735: 75 sheets (de Platen version is also available for the 5735); 5740 / 5745 / 5755: 100 sheets seed Poper version Pop	Processor		1.2 GHz Freescale dedicated / 160 GB Hard Drive shared
Trays 1-2: 500 sheets each; Custom sizes: 5.5 x 8.5 to 11 x 17 in. / A5 to A3; 16:53 lb. bond / 60-200 gsm High Capacity Feeder (HCP, 4000-sheets; 5ze 8.5 x 11 in. / A4 High Capacity Feeder (HCP, 4000-sheets; 5ze 8.5 x 11 in. / A4 Horse (HCP, 4000-sheets; 5ze 8.5 x 11 in. / A5 Horse (HCP, 4000-sheets; 5ze 8.5 x 11 in. / A5 Horse (HCP, 4000-sheets; 5ze 8.5 x 11 in. / A5 Horse (HCP, 4000-sheets; 5ze 8.5 x 11 in. / A5 Horse			Duplex Automatic Document Handler (DADH): 5735: 75 sheets (a Platen version is also available for the 5735); 5740 / 5745 / 5755: 100 sheets
High Capacity Tandem Tray: 3,600-sheet total (1,600 and 2,000 sheets); Size 8.5 x 11 in. / A4			Bypass Tray: 100 sheets; Custom sizes: 4.25 x 5.5 to 11 x 17 in. / A6 to A3; 16-58 lb. bond / 60-216 gsm
High Capacity Feeder (HCF): 4,000-sheets; Size 8.5 x 11 in. / A4 long edge feed HCF Kits (HCF required): 2,000-sheet 11 x 17 in. Short Edge Kit or 2,000-sheet Letter/Legal Short Edge Kit Envolope Tray: Up to 50 envelopes: #10 commercial, monarch, DL, CS, custom, Large U.S, Postcard, A6			Trays 1-2: 500 sheets each; Custom sizes: 5.5 x 8.5 to 11 x 17 in. / A5 to A3; 16-53 lb. bond / 60-200 gsm
HCF Kits (HCF required): 2.000-sheet 11 x 17 in. Short Edge Kit or 2.000-sheet Letter/Legal Short Edge Kit Envelope Trox; Up to 50 envelopes: #10 commercial, monarch, Dl. CS, custom, Large U.S, Postcard, A6			High Capacity Tandem Tray: 3,600-sheet total (1,600 and 2,000 sheets); Size 8.5 x 11 in. / A4
Envelope Tray: Up to 50 envelopes: #10 commercial, monarch, DL, CS, custom, Large US, Postcard, A6	Optional		High Capacity Feeder (HCF): 4,000-sheets; Size 8.5 x 11 in. / A4 long edge feed
Finishing options Basic Office Finisher (available with 5735 / 5740 / 5745 / 5755): 300 sheets Basic Office Finisher (available with 5736 / 5740 / 5745 / 5755): 2000 + 250-sheet trays, 30-sheet multiposition stapling, optional hole punch High Volume Finisher (MVF) (available with 5736 / 5745 / 5755): 2000 + 250-sheet trays, 50-sheet multiposition stapling, optional hole punch High Volume Finisher (MVF) (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher with Booklet Maker (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher with Booklet Maker (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher with Booklet Maker (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher with Booklet Maker (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (MVF) (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (WVF) (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (WVF) (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (WVF) (available with 5740 / 5745 / 5755): 3000 + 250-sheet trays, 100-sheet trays, 100-sheet multiposition stapling, optional hole punch For available with 5740 / 5745 / 5755; 3755			HCF Kits (HCF required): 2,000-sheet 11 x 17 in. Short Edge Kit or 2,000-sheet Letter/Legal Short Edge Kit
Basic Office Finisher (available with 5735 / 5740 / 5745); 1,000 + 250-sheet trays, 30-sheet single-position stapling			Envelope Tray: Up to 50 envelopes: #10 commercial, monarch, DL, C5, custom, Large U.S., Postcard, A6
Office Finisher (available with 5735 / 5740 / 5745 / 5755); 2.000 + 250-sheet trays, 50-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch High Volume Finisher (HVP) (available with 5740 / 5745 / 5745 / 5745 / 5755); 3.000 + 250-sheet trays, 100-sheet multiposition stapling, 3000 + 250 / 5745 / 5755 / 35740 / 5745 / 5755 / 35740 / 5745 / 5755 / 35740 / 5745 / 5755 / 35740 / 5745 / 5755 / 35740 / 5745 / 5755 / 35740 / 5745 / 5755 / 35740 / 5745 / 355 / 35740 / 5745 / 355 / 35740 / 5745 / 355 / 35740 / 5745 / 355 / 35740 / 5745 / 355 / 35740 / 3545 / 355 / 3545 / 355 / 355 / 35740 / 3545 / 355 / 3545 / 355 / 355 / 355 / 35740 / 3545 / 355 /	Finishing options		Offset Catch Tray (available with 5735 / 5740 / 5745 / 5755): 300 sheets
High Volume Finisher (HVF) (available with 5740 / 5745 / 5755): 3,000 + 250-sheet troys, 100-sheet multiposition stapling, optional hole punch High Volume Finisher with Booklet Maker (available with 5740 / 5745 / 5755): adds saddle-stitch booklet-making Z Fold / C Fold Unit (with HVF with Booklet Maker): adds letter-size Z- and C-folding Post Process Inserter (with HVF and with HVF with Booklet Maker): adds preprinted inserts Convenience Stapler: 50-sheet stapling Copy First-page-out-time First-page-out-time S 735: As fast as 4.7 seconds; 5740 / 5745 / 5755: As fast as 3.4 seconds Resolution (max) Automatic two-sided, Collation, Auto reduction / enlargement, Auto paper select, Auto tray switching, Image quality enhancement, Transparencies, Booklet creation, Multi-up, Invert image, Covers, ID Card Copy, Annotation and Bates Stamping, Build Job, Inserts and tob copying, Sample set, Job storage and reprint Print Resolution (max) Up to 1200 x 1200 dpi Connectivity 10/100/1000Base-T Ethernet, IEEE802.5 (Token Ring) [via third party adapter], Wireless Ethernet (IEEE802.11a/b/g) [via third party adapter], USB print Page description Longuages Up to 1200 x 1200 dpi Conscience of Pinit features Pinit features Delay, Sample, Secure, and Store-Print; Simultaneous rip, receive, program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page programming; Tab printing: Embedded Web Server for remote control/monitor/setup; Job monitoring at device and at desktop Fax Standard Optional Scan to PC Desktop®, SMARTsend® Security Fox Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Description, Secure Access Unified ID Other Options			Basic Office Finisher (available with 5735 / 5740 / 5745): 1,000 + 250-sheet trays, 30-sheet single-position stapling
High Volume Finisher with Booklet Maker (available with 5740 / 5745 / 5755); adds saddle-stitch booklet-making Z Fold / C Fold Unit (with HVF with Booklet Maker); adds letter-size Z- and C-folding Post Process Inserter (with HVF and with HVF with Booklet Maker); adds preprinted inserts Convenience Stapler: 50-sheet stapling S735: As fast as 4.7 seconds; 5740 / 5745 / 5755; As fast as 3.4 seconds Resolution (max) 600 x 600 x 8 dpi input / 4800 x 600 dpi interpolated output Copy features Automatic two-sided, Collation, Auto reduction / enlargement, Auto paper select, Auto tray switching, Image quality enhancement, Transparencies, Booklet creation, Multi-up, Invert image, Covers, ID Card Copy, Annotation and Bates Stamping, Build Job, Inserts and tab copying, Sample set, Job storage and reprint Print Resolution (max) Up to 1200 x 1200 dpi Connectivity 10/100/1000Base-T Ethernet, IEEE802.5 (Token Ring) [via third party adapter], Wireless Ethernet (IEEE802.11a/b/g) [via third party adapter], USB print Page description longuages Print features Delay, Sample, Secure, and Store-Pinit. Simultaneous rip, receive, program-ahead, queue-process and transmit, Bidirectional print drivers; Exception page programming; Tab printing; Embedded Web Server for remote control/monitor/setup; Job monitoring at device and at desktop Fax Standard Optional Scan to PC Desktop®, SMARTsend® Security Fax Security, Secure Pinit, 802.1X, HTTPS (SSL), SNMP V3, IPV6, IPSec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Other Options Foreign Device Interface*, Xerox* Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox* Unicode International Printing, Xerox* Scarer Access Unified ID			Office Finisher (available with 5735 / 5740 / 5745 / 5755): 2,000 + 250-sheet trays, 50-sheet multiposition stapling, optional hole punch
Z Fold / C Fold Unit (with HVF with Booklet Maker): adds letter-size Z- and C-folding			High Volume Finisher (HVF) (available with 5740 / 5745 / 5755): 3,000 + 250-sheet trays, 100-sheet multiposition stapling, optional hole punch
Post Process Inserter (with HVF and with HVF with Booklet Maker): adds preprinted inserts Convenience Stapler: 50-sheet stapling			High Volume Finisher with Booklet Maker (available with 5740 / 5745 / 5755): adds saddle-stitch booklet-making
Copy First-page-out-time Frint From Consectivity Connectivity Connectivity Consectivity Consect			Z Fold / C Fold Unit (with HVF with Booklet Maker): adds letter-size Z- and C-folding
First-page-out-time			Post Process Inserter (with HVF and with HVF with Booklet Maker): adds preprinted inserts
First-page-out-time 5735: As fast as 4.7 seconds; 5740 / 5745 / 5755: As fast as 3.4 seconds Resolution (max) 600 x 600 x 8 dpi input / 4800 x 600 dpi interpolated output Automatic two-sided, Collation, Auto reduction / enlargement, Auto paper select, Auto tray switching, Image quality enhancement, Transparencies, Booklet creation, Multi-up, Invert image, Covers, ID Card Copy, Annotation and Bates Stamping, Build Job, Inserts and tab copying, Sample set, Job storage and reprint Print Resolution (max) Up to 1200 x 1200 dpi Connectivity 10/100/1000Base-T Ethernet, IEEE802.5 (Token Ring) [via third party adapter], Wireless Ethernet (IEEE802.11a/b/g) [via third party adapter], USB print Page description languages Delay, Sample, Secure, and Store-Print; Simultaneous rip, receive, program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page programming; Tab printing; Embedded Web Server for remote control/monitor/setup; Job monitoring at device and at desktop Fax Standard Internet Fax enablement, Network Server Fax enablement Walkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File Scan Standard Color Network Scanning with Scan to Email (Authentication and LDAP), Scan to Mailbox, Scan to Home, Scan to searchable PDF, PDF/A, XPS Scan to PC Desktop®, SMARTsend® Scaurity, Secure Print, 8021X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID			Convenience Stapler: 50-sheet stapling
Automatic two-sided, Collation, Auto reduction / enlargement, Auto paper select, Auto tray switching, Image quality enhancement, Transparencies, Booklet creation, Multi-up, Invert image, Covers, ID Card Copy, Annotation and Bates Stamping, Build Job, Inserts and tab copying, Sample set, Job storage and reprint Print Resolution (max) Up to 1200 x 1200 dpi Connectivity 10/100/1000/Base-T Ethernet, IEEE802.5 (Token Ring) [via third party adapter], Wireless Ethernet (IEEE802.11a/b/g) [via third party adapter], USB print Page description Languages PCL® 6, PCL® 5e emulation, PostScript® 3™ emulation, LCDS, SCS, XES and IPDS via third party transforms, Direct print TIFF, PDF, A/400 support via WorkStation Customization Objects Print features Delay. Sample., Secure., and Store-Print; Simultaneous rip, receive, program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page programming: Tab printing: Embedded Web Server for remote control/monitor/setup; Job monitoring at device and at desktop Fax Standard Optional Valkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File Scan Standard Optional Color Network Scanning with Scan to Email (Authentication and LDAP), Scan to Mailbox, Scan to Home, Scan to searchable PDF, PDF/A, XPS Scan to PC Desktop®, SMARTsend® Security Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting enablement (via 3rd Party) Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID			5735: As fast as 4.7 seconds; 5740 / 5745 / 5755: As fast as 3.4 seconds
Print Resolution (max) Up to 1200 x 1200 dpi Connectivity 10/100/1000Base-T Ethernet, IEEE802.5 (Token Ring) [via third party adapter], Wireless Ethernet (IEEE802.11a/b/g) [via third party adapter], USB print Page description languages Print features Pollo 6, PCL® 5e emulation, PostScript® 3™ emulation, LCDS, SCS, XES and IPDS via third party transforms, Direct print TIFF, PDF, A/400 support via WorkStation Customization Objects Print features Delay, Sample, Secure, and Store-Print; Simultaneous rip, receive, program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page programming; Tab printing; Embedded Web Server for remote control/monitor/setup; Job monitoring at device and at desktop Internet Fax enablement, Network Server Fax enablement Valkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File Scan Standard Color Network Scanning with Scan to Email (Authentication and LDAP), Scan to Mailbox, Scan to Home, Scan to searchable PDF, PDF/A, XPS Optional Security Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Nerva® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID	Resolution (max)		600 x 600 x 8 dpi input / 4800 x 600 dpi interpolated output
Resolution (max) Up to 1200 x 1200 dpi Connectivity 10/100/1000Base-T Ethernet, IEEE802.5 (Token Ring) [via third party adapter], Wireless Ethernet (IEEE802.11a/b/g) [via third party adapter], USB print Page description languages Pint features Pelay, Sample, Secure, and Store-Print; Simultaneous rip, receive, program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page programming; Tab printing; Embedded Web Server for remote control/monitor/setup; Job monitoring at device and at desktop Fax Standard Optional Valkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File Scan Standard Optional Color Network Scanning with Scan to Email (Authentication and LDAP), Scan to Mailbox, Scan to Home, Scan to searchable PDF, PDF/A, XPS Optional Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Other Options Foreign Device Interface*, Xerox* Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox* Unicode International Printing, Xerox* Secure Access Unified ID	Copy features		
Page description languages Print features Delay-, Sample-, Secure-, and Store-Print; Simultaneous rip, receive, program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page programming; Tab printing; Embedded Web Server for remote control/monitor/setup; Job monitoring at device and at desktop Fax Standard Optional Valkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File Scan Standard Optional Scan to PC Desktop®, SMARTsend® Security Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Other Options PCL® 6, PCL® 5e emulation, PostScript® 3 th emulation, LCDS, SCS, XES and IPDS via third party transforms, Direct print TIFF, PDF, A/400 support via WorkStation Customization Objects Print features Delay-, Sample-, Secure-, and Store-Print; Simultaneous rip, receive, program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page program-ahead, queue-process and transmit; Bidirectional print drivers; Exce			Up to 1200 x 1200 dpi
Print features Delay-, Sample-, Secure-, and Store-Print; Simultaneous rip, receive, program-ahead, queue-process and transmit; Bidirectional print drivers; Exception page programming; Tab printing; Embedded Web Server for remote control/monitor/setup; Job monitoring at device and at desktop Fax Standard Optional Internet Fax enablement, Network Server Fax enablement Optional Walkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File Scan Standard Optional Color Network Scanning with Scan to Email (Authentication and LDAP), Scan to Mailbox, Scan to Home, Scan to searchable PDF, PDF/A, XPS Scan to PC Desktop®, SMARTsend® Security Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID	Connectivity		10/100/1000Base-T Ethernet, IEEE802.5 (Token Ring) [via third party adapter], Wireless Ethernet (IEEE802.11a/b/g) [via third party adapter], USB print
Fax Standard Optional Walkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File Scan Standard Optional Color Network Scanning with Scan to Email (Authentication and LDAP), Scan to Mailbox, Scan to Home, Scan to searchable PDF, PDF/A, XPS Optional Scan to PC Desktop®, SMARTsend® Security Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting enablement (via 3rd Party) Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID			
Optional Walkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File Scan Standard Optional Color Network Scanning with Scan to Email (Authentication and LDAP), Scan to Mailbox, Scan to Home, Scan to searchable PDF, PDF/A, XPS Scan to PC Desktop®, SMARTsend® Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting enablement (via 3rd Party) Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID	Print features		
Scan Standard Optional Scan to PC Desktop®, SMARTsend® Security Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting enablement (via 3rd Party) Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID	Fax	Standard	Internet Fax enablement, Network Server Fax enablement
Optional Scan to PC Desktop®, SMARTsend® Security Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting enablement (via 3rd Party) Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID		Optional	Walkup Fax (33.6 Kbps, one-line and two-line [256 MB] options) with LAN Fax and Fax Forward to Email or File
Security Fax Security, Secure Print, 802.1X, HTTPS (SSL), SNMP V3, IPv6, IPsec, Network Authentication, Device Access Password Protection, IP Filtering, Audit Log, Disk Encryption, Disk Image Overwrite Accounting Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting enablement (via 3rd Party) Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID	Scan	Standard	Color Network Scanning with Scan to Email (Authentication and LDAP), Scan to Mailbox, Scan to Home, Scan to searchable PDF, PDF/A, XPS
Disk Encryption, Disk Image Overwrite Accounting Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting enablement (via 3rd Party) Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID		Optional	Scan to PC Desktop®, SMARTsend®
Other Options Foreign Device Interface*, Xerox® Copier Assistant, Fax / Scan / Accounting Partner Solutions, Xerox® Unicode International Printing, Xerox® Secure Access Unified ID	Security		
	Accounting		Xerox® Standard Accounting — Copy, Print, Fax; Optional: Network Accounting enablement (via 3rd Party)
	Other Options		

^{*} The optional Foreign Device Interface enables external access and accounting via third-party magnetic card readers and coin devices.











